# **Model NO.** C20-CDMA,C20-GSM,C20-DCS C20-PCS,C20-WCDMA

## 20dBm wide band consumer repeater





- ► The consumer repeaters are an ideal solution for providing a cost effective improvement in cellular in-building coverage of a home, office, restaurant or building, in the quickest time possible, on any of CDMA, GSM850, GSM900, GSM1800, GSM1900, and WCDMA.
- ▶ To maintain safe and specific output signal levels and give alarms on self-oscillation, the repeater has built-in AGC and ALC circuits, which can automatically control the gain of the repeater depending upon the strength of input signals.
- Wide band feature enables all devices operating within the wide frequency range of the repeater to see an improvement in performance.
- Multiple phones and other handheld devices throughout a building can benefit from a wireless repeater.
- Supports up to (40) users / calls simultaneously.
  Extended phone battery life. (Your phone does not need to put out as much power due to improved reception.)
- ▶ No more running outside or near windows to complete your calls or receive pages.



# Wide Band in any system of CDMA, GSM, DCS, WCDMA,PCS

## > Specification

### **Electrical Specification**

	• • • • • • • • • • • • • • • • • • • •		
Frequency Range			
CDMA	UL:824~849MHz	DL:869~894MHz	
GSM850	UL:824~849MHz	DL:869~894MHz	
GSM	UL:890~915MHz	DL:935~960MHz	
DCS	UL:1710~1785MHz	DL:1805~1880MHz	
PCS	UL:1850~1910MHz	DL:1930~1990MHz	
WCDMA	UL:1920~1980MHz	DL:2110~2170MHz	
Bandwidth	Wide band		
CDMA\GSM\WCD	MA Max Gain 7	OdB	
DCS\PCS MaxGai	n 6	55dB	
Auto Level Contro	1 2	0dB	
Output Power		)dBm	
Spurious Emission	-36dBm	-36dBm (9KHz~1GHz)	
	-30dBm (	1GHz~12.75GHz)	
Noise Figure	6	dB (Typical)	
Return Loss		10dB	
Group Delay	1	.5uS	

#### **Mechanical Specification**

I/O Port	N-Female
Impedance	50 ohm
Dimensions (W x H x D)	218x134x57mm
Weight	1Kg
Operating Temperature	-5 ~50
Environment Conditions	IP40
Switch Adapter	Input AC 90~264V

### > Models

Model 1: C20-CDMA (Wide Band in CDMA)

Model 2: C20-GSM (Wide Band in GSM)

Model 3: C20-DCS (Wide Band in DCS)

Model 4: C20-PCS (Wide Band in PCS)

Model 5: C20-WCDMA (Wide Band in WCDMA)